

# TECHNICAL DATA SHEET

## 3PZS75



### Applications



**CYCLIC**



**SOLAR**



**MARINE**

### DIMENSIONS

Lenhgt (mm):	303	Lead weight (kg):	19,6
Width(mm):	175	Electrolyte (kg):	6,7
Height (mm):	228		
Theight (mm):	228	Total weight (Kg):	28,7

### PERFORMANCE

Voltage (V):	12
Capacity C5 (Ah):*	90
Capacity C <sub>20</sub> (Ah):	110
Cycles (70% DoD):*	1200

\* IEC / EN 60254-1

### TECHNOLOGY

Type:	Flooded
Plate type (poz/neg):	Tubular/Pasted
Grid alloy (poz/neg):	Sb/Sb
Separator:	PE
Electrolyte (g/cm <sup>3</sup> ):	1,28

### CONTAINER

Type:	59518
Colour:	Black
Hold down:	B1

### COVER

Type:	Kamina
Colour:	Black
Polarity:	0
Terminal:	1
Filter:	No

### PLUGS

Type:	M18K
Colour:	Black

### HANDLES

Type:	Kamina
Colour:	Black

### PACKAGING

Type:	EUR	Pc./pallet:	42
	CNT	Pc./pallet:	56

### DRAWING

